

Policy-Based File Tiering

Reduce Costs and Reclaim Capacity from Your Windows File Shares by Offloading Less Relevant Files to Swarm Object Storage

Benefits

- Free up precious capacity on your primary storage for more critical data
- Defer purchase of additional premium storage
- Shorten backup cycles and reduce load on your existing storage
- Eliminate time wasted performing manual file migrations
- See the space and cost savings potential upfront with “what-if” analysis


We instinctively know that much of the storage space in our servers and NAS is wasted on files that no one really cares much about. Yet deleting them is not an option. They may be necessary to comply with data retention regulations and to recall records of past activities.

FileFly software automatically migrates the contents of files you deem less relevant to cheaper secondary storage tier, constantly making room for important new data. The migrated files remain accessible from the same folders as before. In the rare case that the file is requested, its data is transparently recalled to primary storage.


Simple rules and policies determine which files are migrated and when the data transfers should take place. Characteristics such as age, owner, file type and size may be used to include or exclude certain files. Scans for files meeting the criteria take place on schedule or on-demand. Policy changes can be simulated to see their effect on space savings and cost reduction before performing the actual tiering operations.

How File-Based Tiering Works

FileFly regularly scans selected Windows shares and subdirectories, looking through file metadata for attributes that match the selection criteria. A migration task copies the file’s contents to DataCore Swarm object storage, then marks the original file with a stub pointing to the new data location. The original file is truncated to zero physical size and tagged as offline, freeing up its primary storage space. The logical size and other original attributes, including access controls and ownership, remain for the correct operation of applications and users. The offline flag serves two purposes. It alerts users that file retrieval may take a little longer. And it signals backup products to skip those files. Best practices call for files to be backed up before migration.



When a previously migrated file is opened, its data will be recalled back to the original source filer. If no changes are made, the copy in secondary storage is unaffected. This eliminates the need for a data transfer during a “quick re-migrate” operation. For files that have been modified or deleted, periodic “scrub” tasks delete outdated copies to reclaim capacity in secondary storage.



Define file tiering rules and track progress for multiple Windows file servers from a central console

The analysis, charting, migration, and policy-based file tiering features of FileFly result in several economic benefits:



Defer additional hardware purchases of expensive primary file storage



Reduce price/TB for retaining less relevant data on lower cost storage



Free up valuable administration time by automating file migrations according to custom policies



Save on backup resources and reduce backup windows

Licensing

Benefit from simple, transparent, and flexible licensing according to how many Terabytes (TBs) of data are migrated FROM source file servers and NAS devices TO Swarm object storage.

Pricing includes 24x7 Premier Support and software updates, and price per TB goes down as consumption grows (volume discounts).

Specifications

Primary File Systems (Sources)

- Windows File Servers: NTFS and SMB Shares
- SMB Shares on NetApp and Dell EMC Isilon NAS

Secondary Storage Tier (Destination)

- DataCore Swarm object storage

FileFly Components

In its simplest form, FileFly consists of three software components:

- The web-based Admin Portal for centralized control of configurations, task scheduling, monitoring and reporting. It lies outside the data path.
- A lightweight Migration Agent installed on each Windows Server hosting NTFS file systems.
- A Gateway Agent installed on a separate Windows Server instance (VM or bare metal) responsible for transferring data to and from secondary storage. Redundant gateway instances may be configured for high availability.

To connect to SMB Shares on NetApp and Dell EMC Isilon NAS:

- NetApp NAS systems require an Fpolicy Server (two for HA)
- Isilon NAS systems require a LinkConnect Server instance (two for HA). Each Windows Client also needs a lightweight LinkConnect Driver.

Minimum Requirements	For Windows Server Components
Operating Systems	Windows Server 2022, 2019, 2016, 2012 R2, 2012
CPU (Intel/AMD x86 processors)	2 vCPU cores
Memory	4 GB
Disk space	2 GB for log files (Additional space for LinkConnect Cache)
Network	1 Gbit/s Ethernet



Discover the Ultimate Flexibility of DataCore Software

DataCore Software delivers the industry's most flexible, intelligent, and powerful software-defined storage solutions for the core, edge, and cloud. With a comprehensive product suite, intellectual property portfolio, and unrivaled experience in storage virtualization and advanced data services, DataCore has helped over 10,000 customers worldwide modernize how they store, protect, and access data. www.datacore.com